NATIONAL FAMILY HEALTH SURVEY (NFHS-2)

INDIA

1998-99

HARYANA

International Institute for Population Sciences Mumbai, India

MEASURE *DHS*+, ORC Macro Calverton, Maryland, USA

July 2001

Suggested citation: International Institute for Population Sciences (IIPS) and ORC Macro. 2001. *National Family Health Survey (NFHS-2), India, 1998–99: Haryana*. Mumbai: IIPS.

For additional information about the National Family Health Survey (NFHS-2), please contact:

International Institute for Population Sciences Govandi Station Road, Deonar, Mumbai-400 088 Telephone: 5564883, 5563254, 5563255, 5563256

Fax: 5563257

E-mail: iipsnfhs@vsnl.com

Website: http://www.nfhsindia.org

NFHS-2 data sets for this state can be obtained from the website listed above.

CONTRIBUTORS

Parveen Nangia Vinod K. Mishra Deepak Grover R.B. Bhagat S.K. Singh Donna Espeut Fred Arnold Yonah Bhutia

CONTENTS

		Page
Table	es	v
	es	
_	ce	
	owledgements	
	Sheet	
	nary of Findings	
CHAPTER	1 INTRODUCTION	
1.1	Background of the Survey	1
1.2	Basic Socioeconomic and Demographic Features of Haryana	
1.3	Questionnaires	
1.4	Survey Design and Sample Implementation	5
	Sample Size and Reporting Domains	
	Sample Design	
	Sample Selection in Rural Areas	6
	Sample Selection in Urban Areas	8
	Sample Weights	9
	Sample Implementation	10
1.5	Recruitment, Training, and Fieldwork	
1.6	Data Processing.	11
CHAPTER	2 BACKGROUND CHARACTERISTICS OF HOUSEHOLDS	
2.1	Age-Sex Distribution of the Household Population	13
2.2	Marital Status	
2.3	Household Composition	
2.4	Educational Level	
2.5	Housing Characteristics	
2.6	Lifestyle Indicators	
2.7	Availability of Facilities and Services to the Rural Population	32
CHAPTER	3 BACKGROUND CHARACTERISTICS OF RESPONDENTS	
3.1	Background Characteristics	35
3.2	Educational Level	
3.3	Age at First Marriage	
3.4	Exposure to Mass Media	
3.5	Women's Employment	
3.6	Women's Autonomy	
3.7	Women's Educational Aspirations for Children	
3.8	Domestic Violence: Attitudes and Prevalence	48

CHAPTER	4 FERTILITY AND FERTILITY PREFERENCES	Page
4.1	Age at First Cohabitation	55
4.2	Current Fertility Levels	
4.3	Fertility Differentials and Trends	
4.4	Children Ever Born and Living	
4.5	Birth Order	
4.6	Birth Intervals	65
4.7	Age at First and Last Birth	68
4.8	Postpartum Amenorrhoea, Abstinence, Insusceptibility, and Menopause	69
4.9	Desire for More Children	71
4.10	Ideal Number of Children	
4.11	Sex Preference for Children	78
4.12	Fertility Planning	80
CHAPTER	5 FAMILY PLANNING	
5.1	Knowledge of Family Planning Methods	
5.2	Contraceptive Use	
	Ever Use of Family Planning Methods	
	Current Use of Family Planning Methods	86
	Socioeconomic Differentials in Current Use of Family Planning	
	Methods	
	Number of Living Children at First Use of Contraception	
	Problems with Current Method	
5.3	Timing of Sterilization	
5.4	Sources of Contraceptive Methods	
5.5	Reasons for Discontinuation/Non-Use of Contraception	
5.6	Future Intentions Regarding Contraceptive Use	
5.7	Exposure to Family Planning Messages	
5.8	Discussion of Family Planning	
5.9	Need for Family Planning	106
CHAPTER	6 MORTALITY, MORBIDITY, AND IMMUNIZATION	
6.1	Crude Death Rates and Age-Specific Death Rates	
6.2	Infant and Child Mortality	
	Assessment of Data Quality	
	Levels, Trends, and Differentials in Infant and Child Mortality	
	Socioeconomic Differentials in Infant and Child Mortality	
	Demographic Differentials in Infant and Child Mortality	
6.3	Morbidity	
	Asthma	
	Tuberculosis	
	Jaundice	
	Malaria	123

		Page
6.4	Child Immunization	124
6.5	Vitamin A Supplementation	
6.6	Child Morbidity and Treatment	
	Acute Respiratory Infection	
	Fever	
	Diarrhoea	
6.7	HIV/AIDS	
	Knowledge of AIDS	141
	Source of Knowledge About AIDS	
	Knowledge of Ways to Avoid AIDS	
CHAPTER	7 NUTRITION AND THE PREVALENCE OF ANAEMIA	
7.1	Women's Food Consumption	147
7.2	Nutritional Status of Women	
7.3	Anaemia Among Women	151
7.4	Infant Feeding Practices	
7.5	Nutritional Status of Children	
7.6	Anaemia Among Children	165
7.7	Iodization of Salt	167
	8 MATERNAL AND REPRODUCTIVE HEALTH	1.70
8.1	Antenatal Problems and Care	
	Problems During Pregnancy	
	Antenatal Check-Ups	
	Reasons for Not Receiving Antenatal Check-Ups	
	Number and Timing of Antenatal Check-Ups	
	Components of Antenatal Check-Ups	
	Tetanus Toxoid Vaccination	
8.2	Delivery Care	
0.2	Place of Delivery	
	Assistance During Delivery	
	Delivery Characteristics	
8.3	Postnatal Care	
0.5	Postpartum Complications	
8.4	Reproductive Health Problems	
	•	
CHAPIEK	9 QUALITY OF CARE	
9.1	Source of Health Care for Households	
9.2	Contacts at Home with Health and Family Planning Workers	
9.3	Quality of Home Visits	
9.4	Matters Discussed During Home Visits or Visits to Health Facilities	
9.5	Quality of Services Received at the Most Recent Visit to a Health Facility	200

		Page
9.6 Fam	ily Planning Information and Advice Received	203
9.7 Ava	ilability of Condoms and Pills	203
	on Motivating Users of a Modern Contraceptive Method	
9.9 Qua	lity of Care of Family Planning Services	205
APPENDICES		209
Appendix A	A Estimates of Sampling Errors	217
	B Data Quality Tables	
Appendix C	C Haryana NFHS-2 Staff	235
Appendix I	Survey Instruments	241

TABLES

		Page
Table 1.1	Sampling stratification	6
Table 1.2	Sample results	11
Table 2.1	Household population by age and sex	14
Table 2.2	Population by age and sex from the SRS and NFHS-2	15
Table 2.3	Marital status of the household population	16
Table 2.4	Singulate mean age at marriage	18
Table 2.5	Household characteristics	19
Table 2.6	Educational level of the household population	21
Table 2.7	School attendance	24
Table 2.8	Reasons for children not attending school	25
Table 2.9	Housing characteristics	26
Table 2.10	Household ownership of agricultural land, house, and livestock	28
Table 2.11	Household ownership of durable goods and standard of living	29
Table 2.12	Lifestyle indicators	31
Table 2.13	Distance from the nearest health facility	32
Table 2.14	Availability of facilities and services	33
Table 3.1	Background characteristics of respondents	36
Table 3.2	Respondent's level of education by background characteristics	38
Table 3.3	Age at first marriage	40
Table 3.4	Exposure to mass media	41
Table 3.5	Employment	43
Table 3.6	Household decisionmaking	44
Table 3.7	Women's autonomy	47
Table 3.8	Perceived educational needs of girls and boys	49
Table 3.9	Reasons given for justifying a husband beating his wife	50
Table 3.10	Women's experience with beatings or physical mistreatment	52
Table 3.11	Frequency of beatings or physical mistreatment	54
Table 4.1	Age at first cohabitation with husband	56
Table 4.2	Current fertility	58
Table 4.3	Fertility by background characteristics	60
Table 4.4	Fertility trends	62

		Page
Table 4.5	Fertility by marital duration	63
Table 4.6	Children ever born and living	64
Table 4.7	Birth order	66
Table 4.8	Birth interval	67
Table 4.9	Median age at first birth	69
Table 4.10	Age at last birth	70
Table 4.11	Postpartum amenorrhoea, abstinence, and insusceptibility	71
Table 4.12	Menopause	72
Table 4.13	Fertility preferences	73
Table 4.14	Desire to have no more children by background characteristics	76
Table 4.15	Ideal and actual number of children	77
Table 4.16	Ideal number of children by background characteristics	78
Table 4.17	Indicators of sex preference	79
Table 4.18	Fertility planning	81
Table 4.19	Wanted fertility rates	82
Table 5.1	Knowledge of contraceptive methods	84
Table 5.2	Ever use of contraception	85
Table 5.3	Current use of contraception	87
Table 5.4	Current use by background characteristics	90
Table 5.5	Number of living children at first use	93
Table 5.6	Problems with current method	94
Table 5.7	Timing of sterilization	95
Table 5.8	Source of modern contraceptive methods	96
Table 5.9	Reasons for discontinuation/non-use	99
Table 5.10	Future use of contraception.	101
Table 5.11	Reasons for not intending to use contraception	102
Table 5.12	Preferred method	103
Table 5.13	Exposure to family planning messages	105
Table 5.14	Discussion of family planning	107
Table 5.15	Need for family planning services	109
Table 6.1	Age-specific death rates and crude death rates	113
Table 6.2	Infant and child mortality	116

		Page
Table 6.3	Infant and child mortality by background characteristics	118
Table 6.4	Infant and child mortality by demographic characteristics	119
Table 6.5	Morbidity	122
Table 6.6	Childhood vaccinations by source of information	125
Table 6.7	Childhood vaccinations by background characteristics	128
Table 6.8	Childhood vaccinations received by 12 months of age	130
Table 6.9	Source of childhood vaccinations	131
Table 6.10	Vitamin A supplementation for children	133
Table 6.11	Prevalence of acute respiratory infection, fever, and diarrhoea	135
Table 6.12	Knowledge of diarrhoea care	137
Table 6.13	Treatment of diarrhoea	139
Table 6.14	Source of ORS packets	141
Table 6.15	Source of knowledge about AIDS	142
Table 6.16	Knowledge about avoidance of AIDS	144
Table 7.1	Women's food consumption	148
Table 7.2	Women's food consumption by background characteristics	149
Table 7.3	Nutritional status of women	150
Table 7.4	Anaemia among women	153
Table 7.5	Initiation of breastfeeding	157
Table 7.6	Breastfeeding status by child's age	158
Table 7.7	Type of food received by children	159
Table 7.8	Median duration of breastfeeding	160
Table 7.9	Nutritional status of children by demographic characteristics	163
Table 7.10	Nutritional status of children by background characteristics	164
Table 7.11	Anaemia among children	166
Table 7.12	Iodization of salt	169
Table 8.1	Health problems during pregnancy	173
Table 8.2	Antenatal check-ups	175
Table 8.3	Reason for not receiving an antenatal check-up	177
Table 8.4	Number and timing of antenatal check-ups and stage of pregnancy	178
Table 8.5	Components of antenatal check-ups	179
Table 8.6	Tetanus toxoid vaccination and iron and folic acid tablets or syrup	182

		Page
Table 8.7	Place of delivery	184
Table 8.8	Assistance during delivery	186
Table 8.9	Characteristics of births	188
Table 8.10	Postpartum check-ups	189
Table 8.11	Symptoms of postpartum complications	191
Table 8.12	Symptoms of reproductive health problems	193
Table 8.13	Treatment of reproductive health problems	196
Table 9.1	Source of health care	198
Table 9.2	Home visits by a health or family planning worker	199
Table 9.3	Quality of home visits	200
Table 9.4	Matters discussed during contacts with a health or family planning worker	201
Table 9.5	Quality of care during the most recent visit to a health facility	202
Table 9.6	Family planning discussions with a health or family planning worker	203
Table 9.7	Availability of regular supply of condoms/pills	204
Table 9.8	Motivation to use family planning	205
Table 9.9	Discussions about alternative methods of family planning	206
Table 9.10	Information on side effects and follow-up for current method	206
Appendix A	A	
Table A.1	List of selected variables for sampling errors, Haryana, 1998–99	219
Table A.2	Sampling errors, Haryana, 1998–99	220
Appendix l	3	
Table B.1	Household age distribution	228
Table B.2	Age distribution of eligible and interviewed women	229
Table B.3	Completeness of reporting	229
Table B.4	Births by calendar year	230
Table B.5	Reporting of age at death in days	232
Table B.6	Reporting of age at death in months	233

FIGURES

		Page
Figure 2.1	Population Pyramid	14
Figure 2.2	School Attendance by Age, Sex, and Residence	24
Figure 3.1	Percentage of Women Participating in Different Household Decisions and Percentage with Access to Money	
Figure 4.1	Age-Specific Fertility Rates by Residence	58
Figure 4.2	Age-Specific Fertility Rates, NFHS-1 and NFHS-2	59
Figure 4.3	Total Fertility Rate by Selected Background Characteristics	61
Figure 4.4	Fertility Preferences Among Currently Married Women	75
Figure 5.1	Current Use of Family Planning by Residence, NFHS-1 and NFHS-2	88
Figure 5.2	Sources of Family Planning Among Current Users of Modern Contraceptive Methods	98
Figure 6.1	Infant Mortality Rates for Five-Year Periods by Residence	116
Figure 6.2	Infant Mortality Rates by Selected Demographic Characteristics	120
Figure 6.3	Percentage of Children Age 12–23 Months Who Have Received Specific Vaccinations	126
Figure 6.4	Percentage of Children Age 12–23 Months Who Have Received All Vaccinations	129
Figure 6.5	Source of Childhood Vaccinations by Residence	132
Figure 7.1	Anaemia Among Women	154
Figure 7.2	Stunting Among Children Under Three Years by Mother's Education and SLI	165
Figure 7.3	Anaemia Among Children	167
Figure 8.1	Problems During Pregnancy	
Figure 8.2	Source of Antenatal Check-Ups During Pregnancy	
Figure 8.3	Number and Timing of Antenatal Check-Ups	179
Figure 8.4	Place of Delivery and Assistance During Delivery	
Figure 8.5	Reproductive Health Problems Among Currently Married Women	192
Figure 9.1	Motivator for Current Users of Modern Contraceptive Methods	204

PREFACE

The success of the first National Family Health Survey, conducted in 1992–93, in creating an important demographic and health database in India has paved the way for repeating the survey. The second National Family Health Survey (NFHS-2), undertaken in 1998–99, is designed to strengthen the database further and facilitate implementation and monitoring of population and health programmes in the country. As in the earlier survey, the principal objective of NFHS-2 is to provide state and national estimates of fertility, the practice of family planning, infant and child mortality, maternal and child health, and the utilization of health services provided to mothers and children. In addition, the survey provides indicators of the quality of health and family welfare services, women's reproductive health problems, and domestic violence, and includes information on the status of women, education, and the standard of living.

Another feature of NFHS-2 is measurement of the nutritional status of women. Height and weight measurements, which were available only for young children in the earlier survey, were extended to cover all eligible women in NFHS-2. In addition, ever-married women and their children below age three had their blood tested for the level of haemoglobin, using the HemoCue instrument. Through these blood tests, for the first time the survey provides information on the prevalence of anaemia throughout India. In two metropolitan cities, Delhi and Mumbai, a further test was done for children below age three to measure the lead content in their blood. The survey also measured the extent to which households in India use cooking salt that has been fortified with iodine.

The NFHS-2 survey was funded by the United States Agency for International Development (USAID) through ORC Macro, USA. UNICEF provided additional financial support for the nutritional components of the survey. The survey is the outcome of the collaborative efforts of many organizations. The International Institute for Population Sciences (IIPS) was designated as the nodal agency for this project by the Ministry of Health and Family Welfare, Government of India, New Delhi. Thirteen reputed field organizations (FOs) in India, including five Population Research Centres, were selected to carry out the houselisting operation and data collection for NFHS-2. The field organization for Haryana was the Centre for Research in Rural and Industrial Development (CRRID), Chandigarh. ORC Macro, Calverton, Maryland, USA, and the East-West Center, Honolulu, Hawaii, USA, provided technical assistance for all survey operations.

The NFHS-2 survey covered a representative sample of more than 90,000 ever-married women age 15–49 from 26 states that comprise more than 99 percent of India's population. The data collection was carried out in two phases, starting in November 1998 and March 1999. The survey provides state-level estimates of demographic and health parameters as well as data on various socioeconomic and programmatic factors that are critical for bringing about desired changes in India's demographic and health situation. The survey provides urban and rural estimates for most states, regional estimates for five states (Bihar, Jammu and Kashmir, Madhya Pradesh, Rajasthan, and Uttar Pradesh), separate estimates for three metro cities (Chennai, Kolkata, and Mumbai), and estimates for slum areas in Mumbai.

The survey used uniform questionnaires, sample designs, and field procedures to facilitate comparability of the data and to achieve a high level of data quality. Preliminary reports

with selected results were prepared earlier for each state and presented to policymakers and programme administrators responsible for improving health and family welfare programmes in most states

The final state reports are based on a standard tabulation plan developed at a workshop held in Kodaikanal on 15–17 January 1999. IIPS finalized the tabulation plan according to the recommendations of the NFHS-2 Technical Advisory Committee and produced the tables and figures for the final reports. In most states, the final state reports were written by representatives of the Population Research Centres, faculty members from IIPS, representatives from ORC Macro and the East-West Center, and reputed researchers from other organizations in the field of population and health in India. Each report has been reviewed by an Indian expert in the field of population sciences.

I am happy to present the final NFHS-2 state report for Haryana, which was covered in the first phase of the survey. I hope that the report will provide helpful insights into the changes that are taking place in the state and will provide policymakers and programme managers with up-to-date estimates of indicators that can be used for effective management of health and family welfare programmes, with an emphasis on reproductive health dimensions. The report should also contribute to the knowledge of researchers and analysts in the fields of population, health, and nutrition.

T.K. Roy Director International Institute for Population Sciences Mumbai

ACKNOWLEDGEMENTS

The second National Family Health Survey was successfully completed due to the efforts and involvement of numerous organizations and individuals at different stages of the survey. We would like to thank everyone who was involved in the survey and made it a success.

First of all, we are grateful to the Ministry of Health and Family Welfare, Government of India, New Delhi, for its overall guidance and support during the project. Mr. Y.N. Chaturvedi and Mr. K.S. Sugathan, the then Secretary and Joint Secretary, respectively, at the Department of Family Welfare deserve special thanks. They initiated the project and designated the International Institute for Population Sciences (IIPS) as the nodal agency for the survey. They also formed the Steering Committee, the Administrative and Financial Management Committee, and the Technical Advisory Committee for the smooth and efficient functioning of the project. Special thanks are due to Mr. A.R. Nanda, the present Secretary of the Department of Family Welfare, who continued to take an active interest in the project and provided timely guidance and support. The contributions of Mr. Vijay Singh, Joint Secretary (FA), Ms. Meenakshi Dutta Ghosh, Joint Secretary (S), Mr. Gautam Basu, Joint Secretary (RCH), Mr. P.K. Saha, Chief Director (S), and Dr. K.V. Rao, Chief Director (S), are acknowledged with gratitude.

We gratefully acknowledge the immense help received from the Office of the Registrar General, India, New Delhi (particularly Dr. M. Vijayanunni, the then Registrar General of India, Mr. J.K. Banthia, the present Registrar General of India, Mr. S.P. Sharma, Consultant, and Mr. S.K. Sinha, Deputy Registrar General, Vital Statistics) in implementing the sample design and making the latest SRS results available to cite in the reports. We thank all the expert participants in the series of workshops to finalize the questionnaire design, the sample design, and tabulation plans for the survey. Special mention and thanks are due to Dr. Vijay Verma for his expert advice on the sample design and the calculation of sample weights.

We are grateful to the Directorate of Census Operations, Maharashtra, for their support in conducting training of the trainers for the houselisting operation. We acknowledge the support of the All India Institute of Medical Sciences, New Delhi, which extended its facilities for training of the health investigators.

We are thankful to the Department of Health and Family Welfare, Government of Haryana, for helping the field organization by providing logistic assistance, whenever possible. Special thanks go to the local officials in all of the sample areas for facilitating the data collection.

The United States Agency for International Development (USAID) provided generous funding for NFHS-2. USAID's contribution to the project is sincerely acknowledged. Special thanks are due to Mr. William Goldman, the former Director of the Office of Population, Health and Nutrition (PHN), USAID, New Delhi, Ms. Sheena Chhabra, Team Leader, Policy, Research, Evaluation, and Marketing (PHN), and Dr. Victor K. Barbiero, current Director of PHN, for their initiative and involvement in the project. Many thanks are due to UNICEF for providing additional funding for the nutrition component of the project and the most modern medical equipment for carrying out the height-weight measurements and anaemia testing. Special thanks are due to

Dr. Sanjiv Kumar, Project Officer (Health), UNICEF, New Delhi, for his earnest cooperation in this respect.

We gratefully acknowledge the help and cooperation given by Dr. Rameshwar Sharma, the then Director, and Dr. Shiv Chandra Mathur, Professor, State Institute of Health and Family Welfare (SIHFW), Jaipur, during the national pretest of the NFHS-2 questionnaires in Rajasthan.

Thanks are due to all the members of the Steering Committee, Administrative and Financial Management Committee, and Technical Advisory Committee for participating in various meetings and providing valuable guidance for successful execution of the project.

Dr. K.B. Pathak was the Director of IIPS during the development of the project and throughout the first phase of data collection. His immense interest and great assistance to NFHS-2 are gratefully acknowledged.

We appreciate and acknowledge the untiring efforts, interest, and initiative taken by Dr. Fred Arnold, Dr. Sunita Kishor, Mr. Sushil Kumar, and Mr. Zaheer Ahmad Khan from ORC Macro and Dr. Robert D. Retherford and Dr. Vinod Mishra from the East-West Center. It is only due to their hard work that NFHS-2 could be completed successfully. Thanks go to Dr. Umesh Kapil, Additional Professor, Department of Human Nutrition, All India Institute of Medical Sciences, New Delhi, for organizing, in collaboration with IIPS, the training programme for the health component of the survey, and to Dr. Almaz Sharman of ORC Macro for assisting with the training programme. We also thank the health coordinators, Dr. Vikash Chandra, Dr. P.V. Kaushik, and Dr. Sanjeev P. Walokar, for their involvement in the NFHS-2 nutrition training programme and their sincere supervision of the nutrition component of the survey. We gratefully acknowledge Mr. O.P. Sharma for his able assistance in ensuring the timely printing and distribution of the survey reports.

ORC Macro made available the ISSA (Integrated System for Survey Analysis) computer package for data entry and tabulation. Special thanks go to Mr. Martin Wulfe and Mr. Hendrik J. Raggers for their immense help in the data processing operation, data analysis, and preparation of the tables for NFHS-2 reports and to Dr. Rajib Acharya for his assistance at every stage of the data processing operation and report writing and his maintenance of the NFHS website. Special thanks go to Mr. Somnath W. Choughule, Data Entry Operator, for designing the NFHS website. We gratefully acknowledge the valuable contribution of IIPS Senior Research Officers Dr. Rajeshri Chitanand, Dr. Damodar Sahu, and Dr. Yonah Bhutia, and Research Officers Dr. M. Hemanta Meitei and Ms. Pavani Upadrashta. Thanks are also due to the other supporting staff of the project, as well as the Administrative, Accounts, and Library staff of IIPS, for their continuous cooperation during the entire project period.

The difficult task of data collection and data processing in the state of Haryana was successfully carried out by the Centre for Research in Rural and Industrial Development, Chandigarh. Our special thanks are due to Mr. Rashpal Malhotra, Principal Coordinator, and Dr. (Ms.) Kuldip Kaur, Survey Coordinator, and the two Associate Survey Coordinators (Mr. U.S. Rangnekar and Mr. Sukhvinder Singh) for successfully coordinating the fieldwork and data processing for the state. Special thanks go to Ms. Shahina Begum, IIPS Research Officer, NFHS-2, for assisting during the training of the field staff and monitoring the data collection in Haryana. This acknowledgement cannot be concluded without expressing appreciation for the hard work put in by the interviewers, health investigators, supervisors, and field editors in collecting data in Haryana.

Thanks are due to Mr. Deepak Grover, Population Research Centre, Panjab University, Chandigarh, Dr. R.B. Bhagat, Mahrishi Dayanand University, Rohtak, Dr. S.K. Singh, International Institute for Population Sciences, Mumbai, and Ms. Donna Espeut, ORC Macro, USA, for their contribution in report writing. We extend our sincere thanks to Prof. Sudesh Nangia, Centre for the Study of Regional Development, Jawaharlal Nehru University, New Delhi, for reviewing this report and giving her comments.

Last but not the least, credit goes to all the eligible women and the household respondents of Haryana who spent their time and responded to the rather lengthy questionnaires with tremendous patience and without any expectation from NFHS-2.

T.K. Roy Sumati Kulkarni Arvind Pandey Kamla Gupta Parveen Nangia